

A Bare Bones Guide to Beginning *webMathematica*

Mike Martin & Steve Wilson
JCCC Mathematics

Today's Outline

- What is *webMathematica*?
 - Examples: Global & Local
 - Licensing & Installation Issues
- Creating *webMathematica* Pages
 - Basic Structure
 - Static Pages
 - Images & Packages
 - Interactive Pages
- Just Released
 - Version 2

1

What is *webMathematica*?

- What and How?
 - Adds Interactive Calculations & Visualizations to Web
 - Utilizes Web Server Technology to Integrate *Mathematica*
 - Runs Through a Web Browser or Other Web Clients
- *webMathematica* vs *Mathematica*
 - Same Engine
 - Different Interface & Audiences
 - *Mathematica* as a development environment
 - SA's set up site & others populate with content
 - User's need not know *Mathematica* or that they are using it
- Examples
 - www.jccc.net/~mmartin/webmath.html
 - www.jccc.net/~mmartin/webmathXtra.html

2

Amateur License Restrictions

- Can use “the power of a specific capability of *Mathematica*.”
- Cannot allow “arbitrary, open-ended calculation requests.”
- Pages must be publicly accessible.
- Must apprise Wolfram of all existing pages.
- A banner link to Wolfram is required.



3

Version 2.0

- New Features
 - Simplified Installation
 - New Templating based on JSP (MSP still supported)
 - New Layout
 - HTTP file upload capabilities
 - Session Variables
 - Improved HTML Formatting
 - MathML, XML, SVG, & XSLT stylesheets support
 - Improved Documentation & Examples
 - Apache JServ Support Dropped

4

Contacts

- | | |
|--|---|
| ■ Mike Martin, JCCC
mmartin@jccc.net
http://www.jccc.net/~mmartin | ■ Steve Wilson, JCCC
swilson@jccc.net
http://staff.jccc.net/swilson |
|--|---|

math.jccc.net

5

A Bare Bones Guide to Beginning webMathematica

Steven J. Wilson

For local testing of files:

Start Tomcat (which also loads Java)
Open Internet Explorer

To view Wolfram's canned examples:

<http://localhost:8080/webMathematica/>

To view a file on the local machine directly:

C:\Program Files\Wolfram Research\Mathematica\4.1\AddOns\Applications\Msp\MSPScripts\Examples\Hello.msp

Is opened by pointing the browser to

<http://localhost:8080/webMathematica/MSP/Examples/Hello>

For local testing, files must reside in the folder:

C:\Program Files\Wolfram Research\Mathematica\4.1\AddOns\Applications\Msp\MSPScripts
or its subfolders, and must have the extension .msp (Mathematica Server Page).

Creating a page:

Can use Notepad to get pure code.

Type all code (HTML, Mathematica, etc.) in Notepad.

Save to folder as indicated above.

Making pages public:

Open FTP session with math.jccc.net.

Open subdirectory mathematica (actually redirection to another directory)

Transfer files to this directory, or a subdirectory of it.

Ask Steve Wilson to provide a link from the Math Faculty Projects page.

Basic structure of an MSP file:

Mathematica code occurs in Mathlet tags (often inside MSP commands).

Mathlet tags are included in HTML code (often inside forms).

HTML code is saved as an .msp file in the appropriate folder.

Static Page Example:

```
<h4>Here is a simple example of a static page</h4>
```

```
<%Mathlet 5*6+2*3 %>
```

```
<%Mathlet Expand[(x+4)^3] %>
```

To show images:

Basic commands include:

MSPShow[*image*]

displays *image*, not `-Graphics-`

MSPShowAnimation[*images*]

animates a table of *images*

MSPFormat[*expr*, StandardForm]

displays image of *expr* in standard form

Examples:

```
<%Mathlet MSPShow[Plot[x^2,{x,0,5}]] %>
<%Mathlet MSPShowAnimation[Table[Plot[x^2+k,{x,0,4}],{k,1,5,1}]] %>
<%Mathlet MSPLive3D[Plot3D[Sin[x+y],{x,-5,5},{y,-5,5}]] %>
<%Mathlet MSPFormat[ 3/5, StandardForm] %>
```

To use Mathematica packages:

```
<%Mathlet Needs["Graphics`Graphics`"]; %>
<%Mathlet MSPShow[PolarPlot[Cos[5t],{t,0,2 Pi}]] %>
```

To avoid shadowing of variables, a command to load a package must not be in the same Mathlet tag as the commands from that package.

For interactivity, forms are required:

Here is a bare bones form that grabs the input and returns it:

```
<form action="filename" method="post">
<input type="text" name="var">
<%Mathlet $$var %>
<input type="submit" name="submitButton" value="Evaluate">
</form>
```

filename must match the name of the .msp page doing the processing.

The input variable must have \$\$ prepended when placed in the Mathlet tag.

Example which provides a default value and retain previous values in forms:

```
<input type="text" name="num" value="<%Mathlet MSPValue[$$num,"2"] %>">
```

A basic programming construct:

`MSPBlock[{$$var}, body]` evaluates *body* if *var* has a value

Examples:

```
<form action="filename" method="post">
<input type="text" name="expr">
<%Mathlet MSPBlock[{$$expr}, Expand[$$expr]] %>
<input type="submit" name="submitButton" value="Evaluate">
</form>
```

will take *expr* as input, expand it, and return the result.

MSP Block is sometimes required when form variables are used.

Other tips:

- Avoid using % in Mathematica code. Instead, use variable names. Each MSP call restarts Mathematica's computation count.
- Avoid using line breaks for multiple computations. Use two or more Mathlet tags. Line breaks are spaces on MSP pages, and therefore multiplication.

Brief Info about our limited license:

Can use "the power of a specific capability of Mathematica".

Cannot allow "arbitrary, open-ended calculation requests".

Page must be publically accessible, and a banner link is required.